












MATERIE PRIME RAW MATERIAL

	Descrizione - Description	Type	Page
	TUBO LUCIDO H9 POLISHED TUBE H9	FT	182
	TUBO LEVIGATO H8 HONED TUBE H8	FTL	182
	ASTA CROMATA C45 CHROME PLATED ROD C45	FAC	183
	20MnV6 ASTA CROMATA 20MnV6 CHROME PLATED ROD	FACV	183
	500H ASTA CROMATA 500H CHROME PLATED ROD	FACM	183
	TUBO PER CONDUTTURA FEED PIPE	FTE	184
 NEW!	TUBO PER CONDUTTURA ZINCATO ZINC PLATED FEED PIPE	FTZ	184
	GHISA CAST IRON	FGP	185
	INOX AISI 316 - TUBO LEVIGATO H8 AISI 316 STAINLESS STEEL - HONED TUBE H8	FTLX	185
	INOX AISI 304 - ASTA CROMATA AISI 304 STAINLESS STEEL - CHROME PLATED ROD	FAX304	185
	INOX AISI 316 - ASTA CROMATA AISI 316 STAINLESS STEEL - CHROME PLATED ROD	FAX316	185

FT

TUBO LUCIDO H9
POLISHED TUBE H9

Codice Code	Ø Esterno O.D. mm	Ø Interno I.D. mm	kg/m
FT03002000	30	20	3,08
FT03502500	35	25	3,70
FT04003000	40	30	4,32
FT04203200	42	32	4,56
FT04503500	45	35	4,93
FT04804000	48	40	4,34
FT05004000	50	40	5,55
FT05504500	55	45	6,17
FT05805000	58	50	5,33
FT06005000	60	50	6,78
FT06205000	62	50	8,29
FT06505000	65	50	10,64
FT06505500	65	55	7,40
FT06806000	68	60	6,31
FT07005500	70	55	11,56
FT07006000	70	60	8,01
FT07206000	72	60	9,77
FT07306300	73	63	8,38
FT07506000	75	60	12,48
FT07506300	75	63	10,21
FT07506500	75	65	8,63
FT07807000	78	70	7,30
FT08006500	80	65	13,41
FT08007000	80	70	9,25
FT08207000	82	70	11,24
FT08507000	85	70	14,33
FT08507500	85	75	9,86
FT09007500	90	75	15,26
FT09008000	90	80	10,48
FT09208000	92	80	12,73
FT09508000	95	80	16,18
FT09508500	95	85	11,10
FT10008500	100	85	17,11
FT10009000	100	90	11,71
FT10209000	102	90	14,21
FT10509000	105	90	18,03
FT11210000	112	100	15,68
FT11510000	115	100	19,87
FT12511000	125	110	21,73

MATERIALE : ACCIAIO S1 52.3 DIN 2393 ISO H9

MATERIAL : STEEL S1 52.3 DIN 2393 ISO H9

POSSIAMO FORNIRE TUBI E ASTE TAGLIATI A MISURA

TUBES AND CHROME PLATED RODS CAN BE SUPPLIED CUT TO MEASURE

FTL

TUBO LEVIGATO H8
HONED TUBE H8

Codice Code	Ø Esterno O.D. mm	Ø Interno I.D. mm	kg/m
FTL0350250	NEW! 35	25	3,70
FTL0400300	40	30	4,32
FTL0420320	42	32	4,56
FTL0450300	NEW! 45	30	6,94
FTL0500400	50	40	5,55
FTL0550400	55	40	8,79
FTL0550450	55	45	6,17
FTL0600400	NEW! 60	40	12,33
FTL0600450	NEW! 60	45	9,71
FTL0600500	60	50	6,78
FTL0650500	65	50	10,63
FTL0650550	65	55	7,40
FTL0700500	70	50	14,80
FTL0700550	NEW! 70	55	11,56
FTL0700600	70	60	8,01
FTL0730630	73	63	8,38
FTL0750600	75	60	12,48
FTL0750630	75	63	10,21
FTL0750650	75	65	8,63
FTL0800600	80	60	17,26
FTL0800650	80	65	13,41
FTL0800700	80	70	9,25
FTL0850700	85	70	14,33
FTL0900700	90	70	19,73
FTL0900750	90	75	15,26
FTL0900800	90	80	10,48
FTL0920800	NEW! 92	80	12,72
FTL0950800	95	80	16,18
FTL1000800	100	80	22,19
FTL1000850	100	85	17,11
FTL1050900	105	90	18,03
FTL1100900	110	90	24,66
FTL1100950	110	95	18,96
FTL1151000	115	100	19,88
FTL1201000	120	100	27,13
FTL1201050	120	105	20,81
FTL1251000	125	100	34,68
FTL1251100	125	110	21,73
FTL1301100	130	110	29,59
FTL1301150	130	115	22,66
FTL1351150	NEW! 135	115	30,83
FTL1401150	NEW! 140	115	39,30
FTL1351200	135	120	23,58
FTL1401200	140	120	32,06
FTL1401250	140	125	24,51
FTL1451250	145	125	33,29
FTL1501250	150	125	42,38
FTL1501300	150	130	34,52
FTL1601400	160	140	36,99
FTL1651400	NEW! 165	140	47,01
FTL1701400	170	140	57,33
FTL1701500	170	150	39,46
FTL1801500	NEW! 180	150	61,03
FTL1801600	180	160	41,92
FTL1901600	190	160	64,73
FTL2101800	210	180	72,13
FTL2302000	230	200	79,53
FTL2452000	NEW! 245	200	123,45
FTL2982500	298	250	162,16

MATERIALE : ACCIAIO S1 52.3 DIN 2391 ISO H8

MATERIAL : STEEL S1 52.3 DIN 2391 ISO H8

TUBO IN POLLICI A RICHIESTA

TUBE IN INCHES ON REQUEST

ASTA CROMATA C45
CHROME PLATED ROD C45

FAC

Codice Code	Ø mm	Ø Pollici Ø Inches	kg/m	Codice Code	Ø mm	Ø Pollici Ø Inches	kg/m
FAC008L000	8.00		0,40	FAC050L000	50.00		15,43
FAC010L000	10.00		0,62	FAC051L000	50.80	2"	15,93
FAC012L000	12.00		0,89	FAC055L000	55.00		18,67
FAC013L000	12.70	1/2"	0,99	FAC056L000	56.00		19,36
FAC014L000	14.00		1,21	FAC057L000	57.15	2"1/4	20,16
FAC015L000	15.00		1,39	FAC060L000	60.00		22,22
FAC0159L00	15.87	5/8"	1,56	FAC063L000	63.00		24,46
FAC016L000	16.00		1,58	FAC064L000	63.50	2"1/2	24,89
FAC018L000	18.00		2,00	FAC065L000	65.00		26,08
FAC019L000	19.05	3/4"	2,22	FAC070L000	70.00		30,25
FAC020L000	20.00		2,47	FAC075L000	75.00		34,72
FAC022L000	22.00		2,99	FAC076L000	76.20	3"	35,84
FAC023L000	22.22	7/8"	3,04	FAC080L000	80.00		39,51
FAC025L000	25.00		3,86	FAC085L000	85.00		44,60
FAC026L000	25.40	1"	3,98	FAC089L000	88.90	3"1/2	48,40
FAC028L000	28.00		4,84	FAC090L000	90.00		50,00
FAC029L000	28.58	1"1/8	5,03	FAC095L000	95.00		55,61
FAC030L000	30.00		5,56	FAC100L000	100.00		61,73
FAC031L000	31.75	1"1/4	6,22	FAC102L000	101.60	4"	63,60
FAC032L000	32.00		6,32	FAC105L000	105.00		68,22
FAC034L000	34.94	1"3/8	7,51	FAC110L000	110.00		74,70
FAC035L000	35.00		7,56	FAC114L000	114.30	4"1/2	80,00
FAC036L000	36.00		8,00	FAC120L000	120.00		88,90
FAC038L000	38.00		8,91	FAC125L000	125.00		96,50
FAC039L000	38.10	1"1/2	8,96	FAC130L000	130.00		104,20
FAC040L000	40.00		9,88	FAC140L000	140.00		120,84
FAC044L000	44.45	1"3/4	12,20	FAC150L000	150.00		138,72
FAC045L000	45.00		12,50				

MATERIALE : ACCIAIO UNI C45 SAE 1045 - CROMO 25 µm ±5 Rating 9 / 200h (<ø20 120h) ISO 10289 – 1999/ISO 9227-NSS
MATERIAL : STEEL UNI C45 SAE 1045 - CHROME 25 µm ±5 Rating 9 / 200h (<ø20 120h) ISO 10289 – 1999/ISO 9227-NSS

20MnV6 ASTA CROMATA
20MnV6 CHROME PLATED ROD

FACV

Codice Code	Ø mm	kg/m
FACV020L00	20	2,47
FACV025L00	25	3,86
FACV030L00	30	5,56
FACV035L00	35	7,56
FACV040L00	40	9,88
FACV045L00	45	12,50
FACV050L00	50	15,43
FACV060L00	60	22,22
FACV070L00	70	30,25
FACV080L00	80	39,51
FACV090L00	90	50,00
FACV100L00	100	61,73

MATERIALE : ACCIAIO 20MnV6 - CROMO 25 µm ±5
Rating 9 / 200h (<ø20 120h) ISO 10289 – 1999/ISO 9227-NSS
MATERIAL : STEEL 20MnV6 - CHROME 25 µm ±5
Rating 9 / 200h (<ø20 120h) ISO 10289 – 1999/ISO 9227-NSS

500h ASTA CROMATA
500h CHROME PLATED ROD

FACM

Codice Code	Ø mm	kg/m
FACM020000	20	2,47
FACM025000	25	3,86
FACM030000	30	5,56
FACM035000	35	7,56
FACM040000	40	9,88
FACM045000	45	12,50
FACM050000	50	15,43
FACM060000	60	22,22
FACM070000	70	30,25
FACM080000	80	39,51
FACM090000	90	50,00
FACM100000	100	61,73

MATERIALE : ACCIAIO UNI C45 SAE 1045 - CROMO 25 µm ±5
Rating 9 / 500h ISO 10289 – 1999/ISO 9227-NSS
MATERIAL : STEEL UNI C45 SAE 1045 - CHROME 25 µm ±5
Rating 9 / 500h ISO 10289 – 1999/ISO 9227-NSS

ALTRE MISURE A RICHIESTA - OTHER DIMENSIONS ON REQUEST

ASTA CROMATA A RICHIESTA:

C45 TEMPRATA A INDUZIONE
C45 CROMO 45±5 µm e 70±5 µm
42CrMO4 BONIFICATA
42CrMO4 BONIFICATA e TEMPRATA
TUBO CROMATO ESTERNAMENTE

CHROME PLATED ROD ON REQUEST:

C45 INDUCTION-HARDENED
C45 CHROME 45±5 µm and 70±5 µm
42CrMO4 RECLAIMED
42CrMO4 RECLAIMED and INDUCTION-HARDENED
EXTERNALLY CHROMIUM PLATED TUBE

FTE**TUBO PER CONDUTTURA
FEED PIPE**

Codice Code	Ø mm	Spessore Thickness mm	kg/m
FTE0604000	6	1.0	0,12
FTE0603000	6	1.5	0,16
FTE0602000	6	2.0	0,20
FTE0806000	8	1.0	0,17
FTE0805000	8	1.5	0,24
FTE0804000	8	2.0	0,30
FTE1008000	10	1.0	0,22
FTE1007000	10	1.5	0,31
FTE1006000	10	2.0	0,39
FTE1210000	12	1.0	0,27
FTE1209000	12	1.5	0,38
FTE1208000	12	2.0	0,49
FTE1206000	12	2.5	0,59
FTE1207000	12	3.0	0,67
FTE1411000	14	1.5	0,46
FTE1410000	14	2.0	0,59
FTE1409000	14	2.5	0,71
FTE1513000	15	1.0	0,34
FTE1512000	15	1.5	0,49
FTE1511000	15	2.0	0,64
FTE1510000	15	2.5	0,77
FTE1613000	16	1.5	0,53
FTE1612000	16	2.0	0,69
FTE1611000	16	2.5	0,83
FTE1610000	16	3.0	0,96
FTE1815000	18	1.5	0,61
FTE1814000	18	2.0	0,79
FTE1813000	18	2.5	0,96
FTE1812000	18	3.0	1,11
FTE2017000	20	1.5	0,68
FTE2016000	20	2.0	0,89
FTE2015000	20	2.5	1,08
FTE2014000	20	3.0	1,26
FTE2218000	22	2.0	0,99
FTE2217000	22	2.5	1,20
FTE2216000	22	3.0	1,42
FTE2521000	25	2.0	1,13
FTE2520000	25	2.5	1,39
FTE2519000	25	3.0	1,63
FTE2517000	25	4.0	2,07
FTE2515000	25	5.0	2,47
FTE2824000	28	2.0	1,28
FTE2823000	28	2.5	1,57
FTE2822000	28	3.0	1,85
FTE2820000	28	4.0	2,37
FTE3026000	30	2.0	1,38
FTE3025000	30	2.5	1,70
FTE3024000	30	3.0	2,00
FTE3022000	30	4.0	2,57
FTE3531000	35	2.0	1,63
FTE3530000	35	2.5	2,00
FTE3529000	35	3.0	2,37
FTE3527000	35	4.0	3,06
FTE3832000	38	3.0	2,59
FTE3830000	38	4.0	3,35
FTE3828000	38	5.0	4,07
FTE4238000	42	2.0	1,97
FTE4236000	42	3.0	2,88
FTE4234000	42	4.0	3,75
FTE4232000	42	5.0	4,56

MATERIALE : ACCIAIO EN 235+N - E10305-4 S/S
 MATERIAL : STEEL EN 235+N - E10305-4 S/S

FTZ**NEW!****TUBO PER CONDUTTURA ZINCATO
ZINC PLATED FEED PIPE**

Codice Code	Ø mm	Spessore Thickness mm	kg/m
FTZ0604000	6	1.0	0,12
FTZ0603000	6	1.5	0,16
FTZ0602000	6	2.0	0,20
FTZ0806000	8	1.0	0,17
FTZ0805000	8	1.5	0,24
FTZ0804000	8	2.0	0,30
FTZ1008000	10	1.0	0,22
FTZ1007000	10	1.5	0,31
FTZ1006000	10	2.0	0,39
FTZ1210000	12	1.0	0,27
FTZ1209000	12	1.5	0,38
FTZ1208000	12	2.0	0,49
FTZ1207000	12	2.5	0,59
FTZ1206000	12	3.0	0,67
FTZ1411000	14	1.5	0,46
FTZ1410000	14	2.0	0,59
FTZ1409000	14	2.5	0,71
FTZ1513000	15	1.0	0,34
FTZ1512000	15	1.5	0,49
FTZ1511000	15	2.0	0,64
FTZ1510000	15	2.5	0,77
FTZ1613000	16	1.5	0,53
FTZ1612000	16	2.0	0,69
FTZ1611000	16	2.5	0,83
-	-	-	-
FTZ1815000	18	1.5	0,61
FTZ1814000	18	2.0	0,79
FTZ1813000	18	2.5	0,96
FTZ1812000	18	3.0	1,11
FTZ2017000	20	1.5	0,68
FTZ2016000	20	2.0	0,89
FTZ2015000	20	2.5	1,08
FTZ2014000	20	3.0	1,26
FTZ2218000	22	2.0	0,99
FTZ2217000	22	2.5	1,20
FTZ2216000	22	3.0	1,42
FTZ2521000	25	2.0	1,13
FTZ2520000	25	2.5	1,39
FTZ2519000	25	3.0	1,63
FTZ2517000	25	4.0	2,07
-	-	-	-
FTZ2824000	28	2.0	1,28
FTZ2823000	28	2.5	1,57
FTZ2822000	28	3.0	1,85
FTZ2820000	28	4.0	2,37
FTZ3026000	30	2.0	1,38
FTZ3025000	30	2.5	1,70
FTZ3024000	30	3.0	2,00
FTZ3022000	30	4.0	2,57
FTZ3531000	35	2.0	1,63
FTZ3530000	35	2.5	2,00
FTZ3529000	35	3.0	2,37
FTZ3527000	35	4.0	3,06
FTZ3832000	38	3.0	2,59
FTZ3830000	38	4.0	3,35
FTZ3828000	38	5.0	4,07
FTZ4238000	42	2.0	1,97
FTZ4236000	42	3.0	2,88
FTZ4234000	42	4.0	3,75
-	-	-	-

MATERIALE : ACCIAIO EN 235+N - E10305-4 S/S ZINCATO+PASSIVATO BIANCO SENZA CROMO ESAVALENTE
 MATERIAL : STEEL EN 235+N - E10305-4 S/S ZINC PLATED AND PASSIVATED FEEDPIPE FREE OF HEXVALENT CHROME

ALTRE MISURE A RICHIESTA - OTHER DIMENSIONS ON REQUEST

GHISA
CAST IRON

FGP

Codice Code	Ø mm	kg/m	Codice Code	Ø mm	kg/m
FGP0350000	35	7,21	FGP1250000	125	91,93
FGP0400000	40	9,41	FGP1300000	130	99,43
FGP0450000	45	11,91	FGP1400000	140	115,31
FGP0500000	50	14,71	FGP1450000	145	123,70
FGP0550000	55	17,80	FGP1500000	150	132,37
FGP0600000	60	21,18	FGP1550000	155	141,35
FGP0650000	65	24,86	FGP1600000	160	150,61
FGP0700000	70	28,83	FGP1700000	170	170,03
FGP0750000	75	33,09	FGP1800000	180	190,62
FGP0800000	80	37,65	FGP1900000	190	212,39
FGP0850000	85	42,51	FGP2000000	200	235,33
FGP0900000	90	47,65	FGP2100000	210	259,45
FGP0950000	95	53,10	FGP2200000	220	284,75
FGP1000000	100	58,83	FGP2300000	230	311,23
FGP1050000	105	64,86	FGP2500000	250	367,71
FGP1100000	110	71,19	FGP2600000	260	397,71
FGP1150000	115	77,81	FGP2700000	270	428,89
FGP1200000	120	84,72			

MATERIALE : GHISA OLEODINAMICA EN-GJL 250 (G25-UNI 5007/EN 1561)

MATERIAL : HYDRAULIC CAST IRON EN-GJL 250 (G25-UNI 5007/EN 1561)

AISI 316 - TUBO LEVIGATO H8
AISI 316 - HONED TUBE H8

FTLX

Codice Code	Ø Esterno O.D. mm	Ø Interno I.D. mm	kg/m
FTLX050040	50	40	5,55
FTLX060050	60	50	6,78
FTLX070060	70	60	8,01
FTLX080070	80	70	9,25

MATERIALE : ACCIAIO INOSSIDABILE AISI 316

MATERIAL : STAINLESS STEEL AISI 316

AISI 304 ASTA CROMATA
AISI 304 CHROME PLATED ROD

FAX304

Codice Code	Ø mm	kg/m
FAX304.020	20	2,47
FAX304.025	25	3,85
FAX304.030	30	5,55
FAX304.035	35	7,55
FAX304.040	40	9,86
FAX304.045	45	12,50
FAX304.050	50	15,40
FAX304.060	60	22,20
FAX304.070	70	30,20

MATERIALE : ACCIAIO INOSSIDABILE AISI 304 - CROMO 25 MICRON ±5

MATERIAL : STAINLESS STEEL AISI 304 - CHROME 25 MICRON ±5

A RICHIESTA : ASTA ACCIAIO INOSSIDABILE RETTIFICATO (H8) AISI 304

ON REQUEST : STAINLESS STEEL ROD RECTIFIED (H8) AISI 304

ALTRE MISURE A RICHIESTA - OTHER DIMENSIONS ON REQUEST

AISI 316 ASTA CROMATA
AISI 316 CHROME PLATED ROD

FAX316

Codice Code	Ø mm	kg/m
FAX316.020	20	2,47
FAX316.025	25	3,85
FAX316.030	30	5,55
FAX316.035	35	7,55
FAX316.040	40	9,86
FAX316.050	50	15,40

MATERIALE : ACCIAIO INOSSIDABILE AISI 316 - CROMO 25 MICRON ±5

MATERIAL : STAINLESS STEEL AISI 316 - CHROME 25 MICRON ±5